

(600006-0)

1	1					7.5	75	80
SS0140-0000-01								
								R3200 (RR0136)
								R0200 (RR0102)
								Z1000
		%	1					
			1					
			1					

(600006-0)

2 SS0350-0000-01		10			φ 75	
						R3200 (RR0136)
						R0200 (RR0102)
	4		1			Z9000
			10			
			1			

(600006-0)

3 SS0350-0000-02		10				φ 100
						R3200 (RR0136)
						R0200 (RR0102)
	4		1			Z9000
			10			
			1			

(600006-0)

4 SS0360-0000-01	2					φ 75 (EF)
						R3200 (RR0136)
						R0200 (RR0102)
		%	14			Z1000
			2			
			1			

(600006-0)

5 SS0360-0000-02	1					φ 75 (EF)
						R3200 (RR0136)
						R0200 (RR0102)
		%	14			Z1000
			1			
			1			

(600006-0)

6 SS0360-0000-03		2				φ 100 (EF)
						R3200 (RR0136)
						R0200 (RR0102)
		%	14			Z1000
			2			
			1			

(600006-0)

7 SS0365-0000-01	(	)	1			φ 100
						R3200 (RR0136)
						R0200 (RR0102)
		%	1			Z1000
			1			
			1			

(600006-0)

8 SS0457-0000-01		1				φ 75
						R3200 (RR0136)
						R0200 (RR0102)
		%	7			Z1000
			1			
			1			

(600006-0)

9 SS0457-0000-02		1				φ 100
						R3200 (RR0136)
						R0200 (RR0102)
		%	7			Z1000
			1			
			1			

(600006-0)

() 1

φ 75

10
SS0480-0000-01

[illegible]

(600006-0)

11 SS1230-0000-01 () 100						
						R0200 (RR0102)
	()		110			TZ0292
	4		1			Z9000
			100			
			1			

(600006-0)

12 SX0615-0000-01BOX () 1						
			0.04			R0200ZZ (RR0102)
	4		1			Z9000
			1			
			1			

(600006-0)

13 SX0619-0000-01						
100						
(						
(						
W()	150mm		100			TZ1920
			100			59 ,SS0780//1
	4		1			Z9000
			100			
			1			

(600006-0)

14 SY1220-0000-01	(		) 100			$\varnothing 75 \times 5$ 4 (
()	$\varnothing 75$ 4		100			60 ,SY1222//1
()	50/		33.912			TZ0452
	4		1			Z9000
			100			
			1			

(600006-0)

15 SY1220-0000-02	(		) 100			$\varnothing 100 \times 5$ 4 ()
()	$\varnothing 100$ 4		100			61 ,SY1222//2
()	50/		47.1			TZ0452
	4		1			Z9000
			100			
			1			

(600006-0)

16 SX0608-0000-01						
() 1						
()						
62 ,SS0521//1						
12.5 17.5 40 0 m2 1.44						
63 ,SPZ3410//1						
18-8-25(20) W/C 60% () m3 0.34						
64 ,SPZ5010//2						
65 ,SP15110//1						
4 Z9000						
1						
1						
1						

(600006-0)

17 SS0110-0000-02 () 10 φ 75						
						R3200 (RR0136)
						R0200 (RR0102)
	4		1			Z9000
			10			
			1			

(600006-0)

18 SS0351-0000-02		10				φ 100
						R3200 (RR0136)
						R0200 (RR0102)
	4		1			Z9000
			10			
			1			

(600006-0)

19 SS0351-0000-01		10				φ 75
						R3200 (RR0136)
						R0200 (RR0102)
	4		1			Z9000
			10			
			1			

(600006-0)

20 SX0207-0000-01	PE	1				A
	A		1			K5830
			1			
			1			

(600006-0)

21 SX0303-0000-01	10					φ 150 HI-VP
			0.18			R3200ZZ (RR0136)
			0.26			R0200ZZ (RR0102)
HIVP()	150mm		10			V220150
	× 1%	%	1			Z1000Z5
			10			
			1			

(600006-0)

22 SS0525-0000-01						
() 1						
						R3200 (RR0136)
						R0200 (RR0102)
()	4 4.5t 2.9t					66 ,SM140//1
		%	1			Z1000
			1			
			1			

(600006-0)

23 SS0481-0000-01		() 1				φ 75
						R3200 (RR0136)
						R0200 (RR0102)
	4		1			Z9000
			1			
			1			

(600006-0)

24 SX0522-0000-01	BOX	(	)	1		
				0.016		R0200ZZ (RR0102)
	4			1		Z9000
				1		
				1		

1m3

25
SP12080-0000-01

		100					
1		100		U0200	[]		R0200
	01:						

1m3

26
SP12110-0000-01

		100					
1		100		U0200	[]		R0200
	01:				06:		

:15cm

1

27 1
SP1D210-0000-01

		15.05					
1	()/ 20cm 56cm	10.24		Q2082/10 [] ()/ 20cm 56cm		M2082/10	
		58.43					
1		19.96		U0100 []		R0100	
2		10.88		U4000 []		R4000	
3		8.92		U0200 []		R0200	
		26.52					
1	()/ 45 (18)	22.39		J2408 [] / 45 (18)		T2408	
2	/	2.81		J0700 [] / ()		T0700	

:15cm

1

27 2
SP1D210-0000-01

	01:				01: :15cm		

:15cm

1

28 1
SP1D210-0000-02

		13.11					
1	()/ 20cm 56cm	8.92		Q2082/10 [] ()/ 20cm 56cm		M2082/10	
		50.94					
1		17.37		U0100 []		R0100	
2		9.5		U4000 []		R4000	
3		7.79		U0200 []		R0200	
		35.95					
1	()/ 45 (18)	32.35		J2408 [] / 45 (18)		T2408	
2	/	2.45		J0700 [] / ()		T0700	

:15cm

1

28 2
SP1D210-0000-02

	02:						
	01: :15cm						

1m3

29
SPZ5010-0000-01

		28.68					
1		12.85		U0200	[]		R0200
2		7.3		U0100	[]		R0100
3		6.58		U4000	[]		R4000
		71.32					
1	(B)/18-8-25(20) W/C 65%	71.32		J0400	[] (B)/24-12-25(20)		T0290/1
	01:						
	03:				09:18-8-25(20) W/C 65% () 02: 02:		
					02:		

(600006-0)

30 SS1000-0000-01	100m3					BH	0.28m3	2
						R4000 (RR0125)		
						R0200 (RR0102)		
	BH	0.28m3 2				67	, SM025//1	
	4		1			Z9000		
		m3	100					
		m3	1					

(600006-0)

31 SS1040-0000-01		100m2				0 BH	10 0.28m3	2
						R4000 (RR0125)		
						R0200 (RR0102)		
	BH	0.28m3 2				67	, SM025//1	
	4		1			Z9000		
		m2	100					
		m2	1					

(600006-0)

32 SX1001-0000-04 (RC-40) 100m3 1 max 20cm ()						
	RC-40	m3	126			T0545 (TZJ2122003)
		m3	100			68 , SP12150//1
	4		1			Z9000
		m3	100			
		m3	1			

(600006-0)

33 SX1001-0000-02	() 100m3					1 max 20cm ()
		m3	100			68 ,SP12150//1
	4		1			Z9000
		m3	100			
		m3	1			

(600006-0)

34 SX1300-0000-02	() 100m3				0.28m3 1 max 20cm ()	
()		m3	126			T0505 (TZJ2104001)
()	BH 0.28m3 2	m3	100			69 ,SY1010//1
	4		1			Z9000
		m3	100			
		m3	1			

(600006-0)

35 SX1300-0000-01	(40(D)) 100m3					0.28m3 1 max 20cm 0.5km 4t ()
	40 0mm(D)	m3	120			T0510 ()
()	BH 0.28m3 2	m3	100			69 ,SY1010//1
	2 0.28m3 4t L=0.5km DID	m3	100			70 ,SS1030//1
	4		1			Z9000
		m3	100			
		m3	1			

(600006-0)

36 SXG0020-0000-07						
1m3						
0.28m3 4t L=6.5km (R)						
	2 0.28m3 4t L=6.5km As DID	m3	1			71 ,SS1030//3
()	(R)	t	2.35			K6100/4
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

37 SXG0020-0000-08 () 1m3 0.13m3 2t L=6.5km (N)						
	2 0.13m3 2t L=6.5km Co () DID	m3	1			72 ,SS1030//9
(-)	(N)	t	2.35			K5772/2
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

38 SXG0030-0000-07						
1m3						
0.28m3 4t L=4.5km ()						
	2 0.28m3 4t L=4.5km DID	m3	1			73 ,SS1030//8
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

39 SXG0030-0000-06 1m3 L=4.5km0.28m3 4t (D)						
	2 0.28m3 4t L=4.5km DID	m3	1			73 ,SS1030//8
	D	m3	1			K5845
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

40 SXG0030-0000-05 1m3 L=4.5km2t (D)						
()	DID 4.5km	m3	1			74 ,SP12020//2
	D	m3	1			K5845
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

41 SY1050-0000-01	100m2					12cm 1 (1.8) M-40
						R0200 (RR0102)
	mm	m3	15.24			T0550 (TZJ2124003)
	60 80kg					75 ,SM107//1
	4		1			Z9000
		m2	100			
		m2	1			

(600006-0)

42 SY1050-0000-02100m212cm 1 (1.8) ARC 40 RC						
						R0200 (RR0102)
	ARC-40(RC)	m3	15.24			T0545/2 (T2012)
	60 80kg					75 ,SM107//1
	4		1			Z9000
		m2	100			
		m2	1			

(600006-0)

43 SY1050-0000-03	100m2					15cm 1 (1.8) RC-40
						R0200 (RR0102)
	RC-40	m3	19.05			T0545 (TZJ2122003)
	60 80kg					75 ,SM107//1
	4		1			Z9000
		m2	100			
		m2	1			

(600006-0)

44 SY1070-0000-01	() 100m2 1					(20) 5cm
						R4000 (RR0125)
						R0100 (RR0101)
						R0200 (RR0102)
	(20) *	t	12.573			76 ,SY9010//1
	0.5 0.6t					77 ,SM091//1
	40 60kg					78 ,SM078//1
		%	6			Z1000
		m2 1	100			
		m2 1	1			

(600006-0)

45 SYS0361-0000-0210m3						
()		m3	10			T6954 (TQJ1611002)
	4		1			Z9000
		m3	10			
		m3	1			

(600006-0)

46 SX0513-0000-01BOX () 1						
			0.012			R0200ZZ (RR0102)
	4		1			Z9000
			1			
			1			

(600006-0)

47 SXG0030-0000-02						
1m3						
0.28m3 4t L=6.5km ()						
	2 0.28m3 4t L=6.5km DID	m3	1			79 ,SS1030//2
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

48 SXG0030-0000-01	1m3					L=6.5km 0.28m3 4t (D)
	2 0.28m3 4t L=6.5km DID	m3	1			79 ,SS1030//2
	D	m3	1			K5845
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

49 SXG0030-0000-08 1m3 L=6km2t ((D))						
()	DID 6.0km	m3	1			80 ,SP12020//3
	D	m3	1			K5845
	4		1			Z9000
		m3	1			
		m3	1			

(600006-0)

50 SYS0361-0000-0410m3						
()		m3	10			T6954 (TQJ1611002)
	4		1			Z9000
		m3	10			
		m3	1			

(600006-0)

51 SY1060-0000-01	100m2					1 (1.8) M-40
						R0200 (RR0102)
	mm	m3	1.27			T0550 (TZJ2124003)
	60 80kg					75 ,SM107//1
	4		1			Z9000
		m2	100			
		m2	1			

(600006-0)

52 SY1070-0000-02	() 100m2 1					(20FH) 5cm
						R4000 (RR0125)
						R0100 (RR0101)
						R0200 (RR0102)
	(20FH) *	t	12.573			81 ,SY9010//2
	PK3	L	126			T0772 (TZJ4130002)
	0.5 0.6t					77 ,SM091//1
	40 60kg					78 ,SM078//1
		%	17			Z1000
		m2 1	100			
		m2 1	1			

(600006-0)

53 SYS0041-0000-03						
() 1000 15						
() ()	15		1,000			T7709 (TQJ1037010)
()	JIS K 5665 2 B	L	70			DZ02000/20 (TZJ4350005)
	JIS R 3301 1		59			DZ02020/5 (TZJ4352001)
		L	33			T0710 (TZJ6702002)
		%	3			Z1000
			1,000			
			1			

(600006-0)

54 SX0900-0000-01150m/m						
						R0100 (RR0101)
						R0200 (RR0102)
	3kva					M2844 ()
	50 (5)					M2548 ()
		%	18			Z1000
			1			
			1			

(600006-0)

55 SX0901-0000-01	1				50m/m	
						R0200 (RR0102)
	4		1			Z9000
			1			
			1			

(600006-0)

56 SY0020-0000-02		() 100				2.0 BH0.28 2	+	BH0.28 2
						R4000 (RR0125)		
						R0100 (RR0101)		
						R0200 (RR0102)		
	BH	0.28m3 2				67	,	SM025//1
	BH	0.28m3 2				67	,	SM025//1
	4			1		Z9000		
				100				
				1				

(600006-0)

57 SY0060-0000-02		100				2.0 /	(1) 1.1m	+	1.5m
	1	80 × 130 × 2	m	100					TZ0285
	1	800 1300	m	100					TZ0286/2
			m	100					TZ0287
									R4000 (RR0125)
									R0100 (RR0101)
									R0200 (RR0102)
	4			1					Z9000
				100					
				1					

(600006-0)

58 SX0800-0000-01		1				0.3t 7	1
2	3	t	0.3			K2040 (TLC2030002)	
			0.3			K2611 (TNK10060)	
	4		1			Z9000	
			1				
			1				

(600006-0)

59 SS0780-0000-01100						
						R0200 (RR0102)
	4		1			Z9000
			100			
			1			

(600006-0)

60 SY1222-0000-01	(	)	100			φ 75 4
						R0200 (RR0102)
	4		1			Z9000
			100			
			1			

(600006-0)

61 SY1222-0000-02	(	)	100			φ 100 4
						R0200 (RR0102)
	4		1			Z9000
			100			
			1			

(600006-0)

62 SS0521-0000-01() 1						
						R3200 (RR0136)
						R0200 (RR0102)
()	4 4.5t 2.9t					66 ,SM140//1
		%	1			Z1000
			1			
			1			

63 1
SPZ3410-0000-01

1m2

12.5

17.5
40 0

		5.04				
1	(2014)/ 0.8m3	5.01	QT027 [] / 0.8m3			MT027/20
		74.1				
1		35.62	U0200 []			R0200
2		15.04	U0100 []			R0100
3	()	13.95	U1400 [] ()			R1400
4		8.98	U4000 []			R4000
		20.86				
1	/RC-40	16.17	J0545 [] /RC40 (0 40)			T0545
2	/	4.66	J0710 [] /			T0710

63 2
SPZ3410-0000-01

1m2

12.5 17.5
40 0

	03:12.5 17.5				08: 40 0		

1m3

64
SPZ5010-0000-02

		28.68					
1		12.85		U0200	[]		R0200
2		7.3		U0100	[]		R0100
3		6.58		U4000	[]		R4000
		71.32					
1	(B)/18-8-25(20) W/C 60%	71.32		J0400	[] (B)/24-12-25(20)		T0290
	01:						
	03:				08:18-8-25(20) W/C 60% () 02: 02:		
					02:		

1m2

65

SP15110-0000-01

		100					
1		46.66		U2900	[]		R2900
2		25.14		U0200	[]		R0200
3		9.51		U4000	[]		R4000
	01:				01:		

(600006-0)

66 SM140-0000-01	(	)	1			4 4.5t 2.9t
()						R1400 (RR0114)
		L	5.3			T0710 (TZJ6702002)
	4 4.5 2.9					M0448 ()
	4		1			Z9000

(600006-0)

67 SM025-0000-01	1					BH 0.28m3 2
()						R1400 (RR0114)
		L	5.9			T0710 (TZJ6702002)
	0.28m3 2					M0175/10 ()
	4		1			Z9000

1m3

68
SP12150-0000-01

		0.25					
1	/60 80	0.25	QT4674	[	/60 80	MT4674	
		99.4					
1		88.46	U0200	[		R0200	
2		10.94	U0100	[		R0100	
		0.35					
1	/	0.35	J0700	[	/ (	T0700	
	06:		01:				
	01:						

(600006-0)

69 SY1010-0000-01 () 100m3 BH 0.28m3 2						
						R4000 (RR0125)
						R0200 (RR0102)
	BH 0.28m3 2					67 , SM025//1
	60 80kg					82 , SM107//2
	4		1			Z9000
		m3	100			
		m3	1			

(600006-0)

70 SS1030-0000-01	10m3					2 0.28m3 L=0.5km DID	4t
	4t :					83 ,SM070//1	
	4		1			Z9000	
		m3	10				
		m3	1				

(600006-0)

71 SS1030-0000-03 10m3 2 0.28m3 L=6.5km As DID 4t						
	4t					83 ,SM070//1
	:					
	4		1			Z9000
		m3	10			
		m3	1			

(600006-0)

72 SS1030-0000-09 10m3 20.13m3 L=6.5km Co () DID 2t						
	2t					84 ,SM070//2
	:					
	4		1			Z9000
		m3	10			
		m3	1			

(600006-0)

73 SS1030-0000-08						
10m3						
2 0.28m3 4t L=4.5km DID						
	4t :					83 ,SM070//1
	4		1			Z9000
		m3	10			
		m3	1			

74
SP12020-0000-02

() 1m3

DID 4.5km

		20.25				
1	/ 2	20.25	Q0400	[] / 2		M0400/5
		71.03				
1	()	71.03	U1500	[] ()		R1500
		8.72				
1	/	8.72	J0710	[] /		T0710
	03:			07:		
	01: () 27:4.5km		DID	02:DID		

(600006-0)

75 SM107-0000-01		1				60 80kg
						R0100 (RR0101)
		L	4			T0700 (TZJ6704001)
	60 80					MT4674 (TLC1180001)
	4		1			Z9000

(600006-0)

76 SY9010-0000-01		1t				(20) *
(20)		t	1			T0650 (TZJ4100002)
		t	1			K1035 (T5690)
		t	1			
		t	1			

(600006-0)

77 SM091-0000-01		1				0.5 0.6t
						R0100 (RR0101)
		L	3			T0710 (TZJ6702002)
	0.5 0.6					M1830 ()
	4		1			Z9000

(600006-0)

78 SM078-0000-01		1				40 60kg
						R0100 (RR0101)
		L	5			T0700 (TZJ6704001)
	40 60					M1854 ()
	4		1			Z9000

(600006-0)

79 SS1030-0000-02	10m3					2 0.28m3 L=6.5km DID	4t
	4t :					83 ,SM070//1	
	4		1			Z9000	
		m3	10				
		m3	1				

80
SP12020-0000-03

() 1m3

DID 6.0km

		20.25					
1	/ 2	20.25	Q0400	[] / 2		M0400/5	
		71.03					
1	()	71.03	U1500	[] ()		R1500	
		8.72					
1	/	8.72	J0710	[] /		T0710	
	03:			07:			
	01: () 19:6.0km		DID	02:DID			

(600006-0)

81 SY9010-0000-02		1t				(20FH) *
(20FH)		t	1			T0660/3 (TZJ4100004)
		t	1			K1035 (T5690)
		t	1			
		t	1			

(600006-0)

82 SM107-0000-02		1				60 80kg
						R0100 (RR0101)
		L	5			T0700 (TZJ6704001)
	60 80					MT4674 (TLC1180001)
	4		1			Z9000

(600006-0)

83 SM070-0000-0114t :						
()						R1500 (RR0115)
		L	32			T0710 (TZJ6702002)
	4					M0402 ()
	4t()					K3515 ()
	4		1			Z9000

(600006-0)

84 SM070-0000-0212t :						
()						R1500 (RR0115)
		L	21			T0710 (TZJ6702002)
	2					M0400 ()
	2t()					K3505 ()
	4		1			Z9000

(600006-0)

85 SY9800-0000-01						
1						
. ()			1			KZ3000 (TZJ6800001)
. ()			1			KZ3000 (TZJ6800001)
	4		1			Z9000
			1			
			1			

(600006-0)

86 SY9700-0000-011t12m10km						
	12m10		1			KZ2101 (TZJ6810101)
	4		1			Z9000
		t	1			
		t	1			